Morbidity and Mortality

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE

MElrose 4-5131

For release July 20, 1962

22. GEORGIA ATLANTA

Vol. 11, No.

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED JULY 14, 1962

POLIOMYELITIS - The week ending July 14, 1962, brought reports of 24 cases, 15 paralytic, from the Nation. Texas continued to account for the largest proportion of these, with 9 cases, 4 paralytic. The remaining cases were scattered in seven other States, with no notable case concentrations.

The report from Texas this week includes 3 paralytic cases from Dallas County, and two non-paralytic cases from adjacent Tarrant County (Fort Worth). The total number of reported paralytic cases in Dallas County has now reached 9. All 9 cases have had onset since June 6. Harris County (Houston), from which 6 paralytic cases had been previously reported, accounted for 2 nonparalytic cases this week.

The National incidence, both in total number of reported cases and in paralytic cases, closely follows the experience in 1961 as is shown in the figure on page 218. However, the current six week cumulative total of paralytic cases remains well above the total for 1961 with 73 paralytic cases in 1962 as compared to 53 in 1961. Comparable totals for the past 5 years are shown below.

Cumulative Cases Through 28th Week for Past Five Years

	1962	1961	1960	1959	1958
Paralytic	186	180	454	974	416
Total	245	277	612	1458	818

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: (Cumulative totals include revised and delayed reports through previous week)

		28th Wee	ek	The state of the s	Cumulative	- AVYINGE				
Disease	Ended	Ended	Ended Median		First 28 weeks					
	July 14, 1962	July 15, 1961	1957 - 1961	1962	1961	Median 1957 - 1961				
Aseptic meningitis	53	165		706	899					
Brucellosis	10	32	29	222	321	433				
Diphtheria	3	4	10	226	317	356				
Encephalitis, infectious	43	27	41	851	791	793				
Hepatitis, infectious and serum	752	1,160	338	32,936	45,093	12,600				
Measles	4,817	5,138	5,824	427,784	370,898	378,053				
Meningococcal infections	27	39	40	1,268	1,267	1,432				
Poliomyelitis, total	24	28	104	245	277	787				
Paralytic	15	18	44	186	180	385				
Nonparalytic	6	7	34	38	61	267				
Unspecified	3	3	26	21	36	135				
and Scarlet fever	3,395	3,025		203,665	213,686	222				
Tetanus	4			111		222				
Tularemia	7			143	200	322				
Typhoid fever	14	23	23	273	334	374				
(Rocky Mountain spotted)	11			97		THE HEALT THE				
Rabies in Animals	99	81	83	2,325	1,985	2,185				

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax: Botulism: Plague:

Malaria:


N. C. - 1, Ky. - 1

Psittacosis:

Rabies in Man:

Smallpox:

Typhus, murine: Tex. - 1



HEPATITIS — For the week ending July 14, 752 cases of viral hepatitis were reported which brings to 32,789 the total number of cases recorded this year. This represents a decrease of approximately 25% from the total for this same period last year.

EPIDEMIOLOGICAL REPORTS

Salmonella infantis Food Poisoning - Maryland

One hundred and sixty-four of 177 students and adults (93%) who attended a high school commencement banquet in a Maryland town on May 31 became acutely ill within 8 to 24 hours following the dinner. The victims experienced a sudden onset of general malaise, abdominal cramps, and severe non-bloody diarrhea; some had nausea and vomiting. There were a few instances of recorded fever of 103° or more. Although five were sick enough to require hospital care, there were no fatalities. Most recovered in one to three days. Thirteen additional cases occurred in five families to which turkey from the banquet had been carried.

The menu consisted of salad, cold roast turkey, dressing, hot gravy, candied sweet potatoes, green beans, hot rolls, ice cream cake roll, and iced tea. The food was put on the plates in the kitchen; each person had the full menu set before him. Epidemiologic evidence pointed strongly towards the turkey-dressing-gravy combination as the contaminated items of the menu.

Bacteriologic examination of the turkey and dressing samples yielded Salmonella infantis, the same organism isolated from the stools of 20 of the victims. One of three known food handlers had a positive stool culture for Salmonella infantis. She had eaten some of the turkey during preparation and developed clinical symptoms within 24 hours.

Six turkeys averaging about 20 lbs. each were prepared for cooking on Tuesday, May 29. The turkeys were thawed, washed, and stuffed with a prepared stuffing. Five of the six were baked that afternoon for five hours at 325°F. After a three-hour cooling period, they were placed in a crowded icebox. The sixth turkey, uncooked, was placed in the freezing compartment of the icebox and was cooked the next day. All six turkeys were placed in a large, more adequate icebox in the cafeteria on Wednesday. The turkeys were removed from the icebox at 5:00 p.m. on Thursday, the evening of the banquet and warmed for serving.

The turkeys had originally been obtained from a large poultry processing plant in a Western State. This plant slaughters 10,000 turkeys daily from approximately 60 farms in a 150 square mile area. The turkeys were frozen shortly after packing. Because the specific date of slaughter could not be ascertained, it was not possible to incriminate any single flock.

(Reported by John H. Janney, M.D., Acting Chief, Division of Epidemiology, Maryland State Department of Health and A. F. Whitsitt, M.D., Kent County Health Officer, Maryland.)

Mushroom Poisoning - California

On May 18, 1962, four children, ages 4 to 6, had a children's tea party at which they shared two mushrooms picked from a nearby lawn. Two of the four children became ill two hours later with symptoms of nausea, vomiting, and stomach cramps. Pieces of mushrooms were noted in the vomitus by the mother of one of the children. On inquiry, she was told the story about their tea party. The children were not clear about where the mushrooms had been picked. The symptoms, onset time, and location where the mushrooms were picked suggested Lepiota morgani.

(Reported by F. A. Listick, Assistant Supervising Sanitarian, and Dr. George M. Uhl, Health Officer, Los Angeles City Health Department.)

1961 Poliomyelitis Virus Isolations

The Poliomyelitis Surveillance Unit received reports of attempted virus isolation on 735 cases of poliomyelitis with onsets in 1961. This represents virologic study of 54 percent of the 1356 cases reported on individual case forms.

Poliovirus was isolated from 481 or 65 percent of the specimens submitted. As in past years, there was a greater percentage of poliovirus isolates from those cases with residual paralysis; isolations having been obtained from 78 percent from whom specimens were submitted (as compared to 77 percent in 1960 and 78 percent in 1959). In those paralytic cases with no residual paralysis, poliovirus was isolated in 46 percent of the cases studied. The nonparalytic-aseptic meningitis syndrome group showed poliovirus isolations in only 35 percent of the specimens studied. The table presents the virus isolations by final classification of cases reported.

Of the 481 poliovirus isolates, 60 percent were Type I and 38 percent were Type III. Type II was isolated in

only 6 cases. Although poliomyelitis was again predominantly due to Type I virus, Type III isolates increased in proportion to 38 percent in 1961, compared to 26 percent in 1960 and 11 percent in 1959.

New York accounted for over one-third of the Type I isolates in 1961; Maryland, South Carolina, and Georgia accounted for 40 percent of Type III isolates throughout the nation.

VIRUS ISOLATIONS FROM REPORTED CASES OF POLIOMYELITIS IN THE UNITED STATES, 1961

			VIRU	S ISOLAT		**			
Final Classification		POL	IOVIR	211		Cox-	Nega-	Total	Percent
	1	н	111	Other*	ECHO	sackie	tive	Spec.	
Paralytic, Residual Paralysis	211	5	135	3	0	6	95	452	78
"Paralytic", no Residual Para.	22	0	11	0	1	5	33	72	46
Nonparalytic & AsM Syndrome	32	0	27	0	5	31	76	170	35
Diagnosis Changed***	0	0	0	0	0	- 1	3	4	
No Final Classification****	22	1	9	0	1	1	4	37	
T otal	287	6	182	3	7	44	211	735	

- * Type I and Type III were both isolated from 3 cases.
- ** Total isolations and negatives may add to more than total specimens due to double isolates of policytrus and non-polic enterovirus
- poliovirus and non-pollo enterovirus
 *** Not Pollo or Aseptic Meningitis
- *** No 60-day report.

SUMMARY OF DEATHS AMONG PERSONS 65 YEARS AND OVER IN 108 U.S. CITIES

The weekly average number of deaths among persons 65 years and over in 108 cities for the four-week period ending July 14 was 5,931 as compared with an expected 5,914 weekly average.

		WEEK I	ENDING	4 Week	Weekly	
25	6/23	6/30	7/7	7/14 Total	Average	
Observed	6,169	5,954	5,500	6,102	23,725	5,931
Expected	5,979	5,933	5,892	5,854	23,658	5,914
Excess	190	21	-392	248	67	17




Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JULY 15, AND JULY 14, 1962

	Polio	myelitis,	Total C	ases	Pol:	iomyeliti	_		Poliomy Nonpara	elitis, lytic		ptic ngitis
Area	63 4 . 19			lative	2041			lative	00.1		20+1-	1-
	28th	week	First	28 weeks		week	First 2	8 weeks		week		week
Margarett state - I'm	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961
UNITED STATES	24	28	245	277	15	18	186	180	6	7	53	165
NEW ENGLAND	1	} _	4	3	1	WIII_II	4	3	_	13.	1	1
Maine	-	-	-	-	- 1		13 T	-	1		1.046	
New Hampshire	0.11	7 67	-	-	-	1746	-			-	-	1
Vermont	_	_	2	2	_		2	2	-	_	- 1	
Massachusetts			_			W.	2		100		_	
Rhode Island	1		2	1	1	1	2	1	_		-	
CIDDLE ATLANTIC			34	22	2	1	21	19			2	, III.,
AIDDLE ATLANTIC	2	1 1	34	9	2	1	21	7	_		_	
New York New Jersey	2	1	34	10	_		21	9	_	_		
Pennsylvania	1-	-	-	3	* 1	-	-	3	-		2	
EAST NORTH CENTRAL	2	3	12	30	1	1	8	19	-	1	4	
Ohio	_	1	5	12	-		5	6	XXIII L		2	
Indiana	-	1	3	4	-	1	2	3	-	-	1 -	
Illinois	2	1	3	8	1	-	1	6	-	1	2	
Michigan	-	-	-	3	- 1	-	-	3	-	-	-	
Wisconsin	-	-	1	3	-	-		1	-	-	- 1	2)
VEST NORTH CENTRAL	1	5	11	18	1	2	7	9	-	1	1	
Minnesota	-		3	3	-	-	3	3		-	1	
Iowa	- :	-	3	1	-	-	2	_	-	-	-	
Missouri North Dakota	1	1	5	8	1	田培.	2	2		1	_	i
South Dakota	- 9		-	1000		100					1 -	
Nebraska	-	1_ [2	_			2			_	ĺ
Kansas	4-50	4	-	4	-	2	-	2	-	-	_	
SOUTH ATLANTIC			1/	,,,	1		11	F4 21	THE REAL PROPERTY.	1	8	
Delaware	1	7	14	45	1 1	6	11	31		_	8	
Maryland	246.2	2	w11 = 1	3	_	2		3				
District of Columbia	174.1		1	3	_	_	10.0		<u> </u>			2.0
Virginia	_		2	_	-	-	2	_	_		2	
West Virginia	1	2	3	7	1	1	3	4	_	1	_	
North Carolina.		_	2	4	-	_	1	3	-	-	- 1	
South Carolina	-	-	1	4	-	-	1	4	-	-	1	
Georgia	- 1	2	2	16	-	2	2	10	-		- 5	
Fiorida		1	3	9	-	1	2	6		-	٠	1
EAST SOUTH CENTRAL	2	3	9	29	1	3	6	12	1	-	4	ŀ
Kentucky	2	-	4	16	1	-	3	2	1	-	2	ì
Tennessee	_	-	3	5	-	-	1	2	-	-	1	
Alabama. Mississippi	-	3	2	4] [3	2	4	_	_	1 -	
					ĺ							
WEST SOUTH CENTRAL	11	6	124	46	6	2	98	26	4	4	21	12
Arkansas	Ţ.,	-	1	1 12	-	-	1 7	10			_	i
LouisianaOklahoma	1 1	2	8 2	13	1	2	7	10		1	1	ĺ
Texas	9	3	113	31	5	1	90	16	4	3	20	12
4OUNTAIN	e è		9	22			7	13	_		2	
Montana			3	22	_		2	2		Ī		
Idaho		_		4	_	_	_	1	-	_	-	_
Wyoming	_	-	1	- 2	-	-	1	1	_	-	-	
Colorado	1	-	1	3	-	-	-	3	-	_	2	
New Mexico. "	-	-	-	1	-	-	-	-	-	-	-	}
Arizona	- 1		3	5	-	-	3	3	-	-	-	
Utah Nevada	- 5		1	7	F .	-	1 -	4	-	_	-	
			1000	124 4		14, 11	132			-	"	
PACIFIC	3	3	28	62	2	3	24	48	1	-	10	- :
Washington		1		8	-	1	- 1	8	-	-	-	
Oregon	-	-	2	7		-	2	1	:	-	-	
California	3	2	25	45	2	2	21	37	1	-	10	:
Alaska		1	1	2			1	2			= -	
and William .			1				1				ļ — —	-
Puerto Rico	1	1	8	5	1	1	8	5	_	_	-	1

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JULY 15, 1961 AND JULY 14, 1962 - (Continued)

Area	Brucel	llosis	Diphth	eria	Encephal Infecti	•	Infe		ititis, and se	erum	Meas	les
Area		Cumu-		Cumu-				28th	week		1	
		lative		lative			Under	20 &		T		
	28th week	28 weeks	28th week	28 weeks	28th	week	20 yr.	over	Tota1	Total	28th	weel
	1962	1962	1962	1962	1962	1961	1962	1962	1962	1961	1962	196
UNITED STATES	10	222	3	226	43	27	343	334	752	1,160	4,817	5,1
					_							'
EW ENGLAND	_		_	1 1	3	2	7	26	33	32	627	6
Maine. New Hampshire.	_		_	_	1	=	3	9	12 1	4	70	
Vermont.	_		_	-	_		1 -	_		1	60	
Massachusetts	_	_	_	1	3	1	3	8	11	13	328	4
Rhode Island	_	_	_	-	2	1	1	4	5	3	49	4
Connecticut	- 1	-	_	- 1	-	ı.	1	4	4	7	118	1
TDDID AMY INMEG		_		,	_							
IDDLE ATLANTIC	1 -	5 1	-	4	7	9	65	81	146	120	893	1,4
New York.			_	2	7	7	35	59	94	60	570	7
New Jersey		1	-	1		i -	11	11	22	32	226	3
Pennsylvania	1	3	-	1	-	2	19	11	30	28	97	3
AST NORTH CENTRAL	2	57	-	6	6	2	67	60	132	249	1,046	1,1
Ohio	1	1	-	-	3	-	27	18	47	76	117	1
Indiana		.5	-	3		-	6	5	11	26	60	
Illinois	1	42	-		2	1	11	20	32	52	115	2
Michigan	-	3	-	3	1	1	20	14	34	88	458	4
Wisconsin	-	6	-	-	-	1	3	3	8	7	296	3
EST NORTH CENTRAL	1	87	-	54	3	1	29	13	47	107	315	
Minnesota		5	-	16	1	-	6	3	10	22	23	
Iowa	1	53	-	1	-		11	3	16	28	75	
Missouri	-	2	-	. 5	-	-	11	4	15	29	150.	
North Dakota		1	_	6	_	1	-	-	-	7	57	
South Dakota.	-	4	-	12	-	-	- 1	1	1	2	10	
Nebraska	- 1	9	-	13		= -		1	3	8	-	
Kansas	-	13	-	1	2	-	1	1	2	11	NN	1
OUTH ATLANTIC	1	18	1	41	8	2	32	30	65	156	320	9
Delaware	_	-	_	-	-	_	J2	_	-	130	7	-
Maryland	_	_	_		1	1	8	8	16	30	39	1
District of Columbia		-	_	1	_	_	1	2	3	1	3,	1
Virginia	1	9	_	7	_	_	4	7	11	23	105	2
West Virginia			_	i	_	_	3	4	7	13	62	1 1
North Carolina	_	2	_	4	1	_	10	5	15	45	7	1 1
South Carolina	_		_	5	_	1	-	2	2	4	40	
Georgia	_	2	_	4	1	_	1	_	1	14	40	
Florida	_	5	1	19	5	_	5	2	10	26	60	
AST SOUTH CENTRAL	2	11	_	16	2	2	56	34	00	1,,0	106	١.
Kentucky	1	1		10	_	_	24	11	90 35	140	196	3
Tennessee	_	4	-	7		1	10			41	35	١.
Alabama	1	5	_	3	1 1		10	7	17 14	48	132	3
Mississippi	-	1		6	2	2	12	12	24	36 15	14 15	
- RE	-		2	85	1	7	29		-			
ST SOUTH CENTRAL	3	16	2	10	1		1	18 2	50	73	274	1
Arkansas.	-	1 2		7		_	8	2	3 10	13	-	1
Louisiana.	1	2 2		5	1	6	1	2	_	9	3	1
Oklahoma Texas	2	11	2	63	-	1	19	14	1 36	1 50	11 260	
				_			4					
OUNTAIN		7	-	9 6	1 1		- 1	3	56	74	514	- 3
Montana	-	1	-	, ,		_	-	1	1	5	60	
Idaho	-	1	-	1 -			1 1	- 1	9	21	21	
Wyoming.	-	-	-		1	_		1	1	-	12	
Colorado	-	2	_	2	_	_	-	1	10	26	153	
New Mexico	-	-	-	_				1	2	4	NN	
ArizonaUtah	-	2	_	[33	6	170	
Nevada	-	1							-	5 7	96	
			47			_						
Vashington	-	21	-	10	13 2	2 1	58	69	133	209	632	:
Washington Oregon	-				1		14	20	38	10	67	
		18		5	10	1	38	7 38	13 76	31 161	169	
California.		1 1		5	-	_	2	38			305	-
Alaska		1		<u> </u>				1	5 1	6	8 83	
madil		•						1	1	1	03	
				27			9	2	11	29	73	

Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JULY 15, 1961 AND JULY 14, 1962 - (Continued)

	Mening Infect	ococal ions	Sore T	ococcal hroat & t Fever	Tetanus	Tickborne Typhus (Rcky Mt.	Tularemia	Typhoi	d Fever	Rabie	s in Anir	nals
Area	28th wk.	Cumu- lative 28 weeks		week	28th wk.	Spotted)	28+h uk	28th wk.	Cumu- lative	28+h	week	Cumu- lative 28 week
Die Teiler Traffic	1962	1962	1962	1961	1962	1962	1962		1962		1	
and the second	-							1962		1962	1961	1962
UNITED STATES	27	1,268	3,395	3,025	4	11	7	14	273	99	81	2,325
NEW ENGLAND	1	79	204	88	-	1	-	-	3	-	-	-
Maine	- T	12	4	2	-	-		-	1	-	-	-
New Hampshire	- 1	3	-	1	-	-	-	-	-	-	-	-
Vermont		2	1	1	-	-	- 1		-	-	-	-
Massachusetts Rhode Island	1	32 7	49 16	35 10	[1			2		-	- D
Connecticut.		23	134	39	1 2				_ [_		_
												11000
MIDDLE ATLANTIC	7	213	141	215	-	1		2	30	5	2	69
New York	2	99	103	186	-	1	-	-	17	4	1	46
New Jersey	4	51	12	17	1 -	-	-	-	8	- :		-
Pennsylvania	1	63	26	12	-	-	-	2	5	1	1	23
EAST NORTH CENTRAL	5	251	269	214	3	1	1	- 4	45	40	17	556
Ohio	1	75	14	30	1-	_	_	i	23	6	4	277
Indiana	20 - 1	22	84	26	1	-	-	1	3	4	6	158
Illinois	1	49	37	22	2	1	-	2	12	29	6	75
Michigan	2 1	85 20	80 54	113 23	:	-	-	4 - 1	4	1	1	25
wisconsin	1	20	34	23			1		3	-	-	21
WEST NORTH CENTRAL	1	69	100	77	-	-	1	1	10	24	26	598
Minnesota,	- 1	12	8	-	-	-	-1	-	- 1	3	7	126
Iowa	-	10	24	23			-		1 1	11	13	247
Missouri	-	18	5	2			1	1	7	2	4	97
North Dakota	1	6 3	53 3	35 1		Ι Ξ	2111		- ī	7	1	43 69
Nebraska	1	10		1 -	_	_	200		1		1	13
Kansas	7 - 1	10	7	16	-	-		-	1 1 1	1		3
	24						11.3				140	y less
SOUTH ATLANTIC	5	210	226	145	-	4	-	3	51	7	2	189
Delaware	11.	27		1 2		_	-	- 1	1	- T	-	- 2
Maryland Dist. of Columbia	1	11 7	6	5	-	2	1		3 4	- N - 33	1	1
Virginia	11 1	44	60	64		_		1	10	4	2	86
West Virginia.		12	73	41	-	_	2-1		2	3	_	68
North Carolina	1	51	9	6	-	-		1	3	_	-	
South Carolina		12	53	6	-	2			4	-	-	-
Georgia	1	8	7.			-	-	-	15	-	-	5
Florida	2	38	24	23	-	-		1	9	-	-	29
EAST SOUTH CENTRAL	3	83	666	752	1		_		21	9	9	270
Kentucky.		19	26	28	1 2	_	_	-	4	4	3	93
Tennessee	2	36	614	677	1	-	-	-	10	3	5	159
Alabama	113 - T	17	1	2		-	-	-	7	2	-	18
Mississippi	1	11	25	45	-	-		-	-	-	1	-
EST SOUTH CENTRAL	1	110	492	483	1	3	4	4	71	6	25	457
Arkansas	1 2 1	11	-7-	5	- 1	-	2	2	10	-	23	54
Louisiana	- W	52	1	-	-	-		-	18	-	1	14
Oklahoma	-in-	5	2	7	-	3	2	-	4	-	1	20
Texas	1	42	489	471	-	-	-	2	39	6	23	369
OUNTAIN	19 24	40	609	812	_	1	1	_	22			20
Montana	71	3	6	18		1	1		22 10		- 5	20
Idaho	- 1	3	47	66	-	1			10	_	1	-
Wyoming	84 - B	3	7	-	-	F	-		3	-	-	-
Colorado	- 1	8	266	332	-	-		2	1		Land Sa	-
New Mexico.	4 - 1	3	94	193		-	-	-	6	-	-	10
Utah	3 - 1	9	125 64	130			-		2	-	1000	10
Nevada	. C - V	5	-	73		Ī	1			- 5		-
	0.0	A 1 10				_						
ACIFIC	4	213	688	239	-	-		-	20	8		166
Washington	4	18	30	67	-		-	-	1			-
Oregon	3	15	19	15	-	-	•			-	-	6
Alaska	1	170	597 30	140 15	110		-		19	8	-11.5	160
Hawaii.	Mary III	4	12	2	14.1			7	- 3		11115	I I I I I
uerto Rico		7	4	7	2		-	_	-	-		11

Table 4 (D). TOTAL DEATHS AMONG PERSONS 65 YEARS AND OVER IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period. O

Area		For week	s ending		Area	-	For weeks ending				
	6/23	6/30	7/7	7/14		6/23	6/30	7/7	7/14		
NEW ENGLAND:					SOUTH ATLANTIC:						
Boston, Mass	129	122	130	120	Atlanta, Ga	50	48	40	48		
Bridgeport, Conn	39	19	23	24	Baltimore, Md	128	120	99	109		
Cambridge, Mass	17	23	16	21	Charlotte, N.C	16	12	15	18		
Fall River, Mass	19	13	20	16	Jacksonville, Fla	19	27	26	25		
Hartford, Conn	38	29	29	25	Miami, Fla	35	33	47	48		
Lowell, Mass	19	20	10	19	Norfolk, Va.	24	17	19	12		
Lynn, Mass	20	12	16 15	15 20	Richmond, Va.	36	30	40	40		
New Bedford, Mass	16 23	18 23	22	26	Savannah, Ga	17	15	1	18		
New Haven, Conn	24	39	36	44	St. Petersburg, Fla	48	58	48	58		
Providence, R.I	7	10	8	77	Tampa, Fla	27 88	35 75	32 68	44		
Springfield, Mass	21	20	41	18	Washington, D.C	18	17	12	74 24		
Waterbury, Conn	18	17	17	23	Wilmington, Del	10	17	12	24		
Worcester, Mass	25	52	29	41	EAST SOUTH CENTRAL:						
					Birmingham, Ala	27	48	22	47		
MIDDLE ATLANTIC:					Chattanooga, Tenn	26	20	15	22		
Albany, N.Y	31	16	21	20	Knoxville, Tenn	9	14	12	12		
Allentown, Pa	17	23	18	19	Louisville, Ky	64	57	6.5	59		
Buffalo, N.Y	75	77	51	87	Memphis, Tenn	55	40	56	52		
Camden, N.J	19	25	25	38	Mobile, Ala	15	14	17	19		
Elizabeth, N.J	10	8	10	15	Montgomery, Ala	17	11	12	17		
Erie, Pa	20	27	25	22	Nashville, Tenn	33	43	14	33		
Jersey City, N.J	46	20	29	37							
Newark, N.J	52	55	52	54	WEST SOUTH CENTRAL:						
New York City, N.Y	965	839	811	881	Austin, Tex.	19	21	21	14		
Paterson, N.J	18	17	19	28	Baton Rouge, La.	14	12	13	22		
Philadelphia, Pa	261	275	274	221	Corpus Christi, Tex	25	12	5	7		
Pittsburgh, Pa	73	86	106	86 18	Dallas, Tex	63	72	71	72		
Reading, Pa	18	13	12 57	81	El Paso, Tex	22	17	20	1.		
Rochester, N.Y	62 20	66 23	14	11	Fort Worth, Tex	32	41	42	2:		
Schenectady, N.Y.,	30	25	19	24	Houston, Tex	68 31	85	55	82		
Scranton, Pa Syracuse, N.Y	39	33	23	35	Little Rock, Ark New Orleans, La	84	36 66	33 62	28		
Trenton, N.J	19	28	19	24	Oklahoma City, Okla	34	28	31	100		
Utica, N.Y	16	22	20	16	San Antonio, Tex.	58	64	60	62		
Yonkers, N.Y	27	14	15	16	Shreveport, La	24	18	11	29		
13	_,	1 1			Tulsa, Okla	41	35	19	37		
EAST NORTH CENTRAL:							55		3,		
Akron, Ohio	27	24	35	27	MOUNTAIN:						
Canton, Ohio	22	22	15	15	Albuquerque, N. Mex	12	14	9	13		
Chicago, Ill	426	343	354	381	Colorado Springs, Colo	14	10	10	1		
Cincinnati, Ohio	92	91	89	96	Denver, Colo	67	75	49	74		
Cleveland, Ohio	116	103	109	125	Ogden, Utah	7	9	+ 11	1		
Columbus, Ohio	64	75	63	50	Phoenix, Ariz	38	37	38	37		
Dayton, Ohio	40	47	42	50	Pueblo, Colo	15	6	6			
Detroit, Mich	148	188	182	187	Salt Lake City, Utah	34	33	24	3:		
Evansville, Ind	24	22	24	20	Tucson, Ariz	15	25	21	23		
Flint, Mich	22	30	15	22	DICTETO:		11.0		1.73		
Fort Wayne, Ind	27	27	18	24 11	PACIFIC:	1.6	10				
Gary, Ind	14	18	15	30	Berkeley, Calif	14	12	7	12		
Grand Rapids, Mich	29	34	30 62	81	Fresno, Calif	29	24	22	22		
Indianapolis, Ind	61	79	12	21	Glendale, Calif	26	23	13	32		
Madison, Wis	23	16 67	75	54	Long Beach, Calif.	31	15 26	18	17		
Milwaukee, Wis	71	13	17	13	Los Angeles, Calif	312		34	5:		
Peoria, Ill	14	12	24	17	Oakland, Calif	54	280 51	252	26:		
Rockford, Ill	19	24	17	22	Pasadena, Calif.	25	29	39	30		
Toledo, Ohio	26 47	63	43	72	Portland, Oreg	95	45	50	68		
Youngstown, Ohio	34	30	43	25	Sacramento, Calif	44	31	32	3:		
	34	30	13		San Diego, Calif	49	54	45	6.5		
EST NORTH CENTRAL:				-	San Francisco, Calif	111	101	95	107		
Des Moines, Iowa	43	27	32	43	San Jose, Calif.	23	19	24	20		
Duluth, Minn	15	28	7	14	Seattle, Wash	66	79	76	9.5		
Kansas City, Kans	17	23	17	21	Spokane, Wash	21	33	21	4:		
Kansas City, Mo	74	104	64	64	Tacoma, Wash	25	34	26	2		
Lincoln, Nebr	20	14	13	14					-		
Minneapolis, Minn	72	69	59	74	San Juan, P.R.	11	9	14	11		
Omaha, Nebr	47	38	37	48	CILIFORCE STORE ST						
St. Louis, Mo	122	133	112	146							
St. Paul, Minn	56	48	45	42	OCurrent Week Mortality fo	r 108 Se	lected C	ities			
Wichita, Kans	33	29	28	20							

^{*}Estimate - based on average percent of divisional total Totals for previous weeks include reported corrections.

NOTE: All deaths by place of occurrence.

⁴⁽A) Total Mortality, all ages..... 11,151

⁴⁽B) Pneumonia-Influenza Deaths, all ages...... 369
4(C) Total Deaths under 1 Year of Age...... 818
4(D) Total Deaths, Persons 65 years and over.... 6,102

INTERNATIONAL NOTES - QUARANTINE MEASURES

The unofficial report that Turkey is requiring vaccination against plague for persons arriving from Pakistan was not confirmed.

Notes: These provisional data are based on weekly telegrams to the Communi-cable Disease Center by the individual State health departments.

Symbols: --- Data not available - Quantity zero

Procedures for construction of various mortality curves may be obtained from Statistics Section, Communicable Disease Center, Public Realth Service, U. S. Department of Health, Education, and Welfare, Atlanta 22, Georgia.

Communicable Disease Center Atlanta 22, Georgia Official Business

HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

U. S. DEPARTMENT OF

POSTAGE AND FEES PAID U. S. DEPARTMENT OF H. E. W.